



**STANDARD SEWER LATERAL**

BOX AND COVER MUST BE TRAFFIC RATED IF LOCATED IN DRIVEWAY



**SPECIAL CLEANOUT DETAIL**

PAVEMENT OVER TRENCH SHALL BE REPLACED PER STANDARD PLAN MBSI-132A (ST-10)



**BACKFILL AND RESURFACING DETAIL**

**NOTES**

1. CLEANOUT AND LATERAL CONNECTION TO SEWER MAIN SHALL BE INSTALLED UNDER SUPERVISION OF PUBLIC WORKS DEPARTMENT.
2. WHERE NO SIDEWALK OR PAVED ALLEY EXISTS, CLEANOUT ELEVATION SHALL BE SET BY THE ENGINEER.
3. PLUG MUST BE SET LOOSE IN MISSION BAND COUPLING.
4. SADDLE CONNECTION IS NOT ALLOWED, USE A NEW WYE INSTEAD.



DATE REVISED  
12-13-2023

**CITY OF MANHATTAN BEACH  
DEPARTMENT OF PUBLIC WORKS**

**STANDARD SEWER LATERAL CONNECTION AND CLEANOUT**

APPROVED BY *Katherine Doherty* 12/13/2023  
KATHERINE DOHERTY, CITY ENGINEER DATE

STANDARD PLAN NUMBER  
**MBSS-200A-0(ST-5)**  
SHEET 1 OF 1