



GENERAL NOTES:

1. SUBMIT CALIFORNIA LICENSED STRUCTURAL ENGINEER CALCULATIONS, STAMP, AND SIGNATURE PROVIDING ANALYSIS OF FOUNDATION DESIGN, POLE, AND ALL SUPPORTED EQUIPMENT. CONCRETE SHALL BE CLASS 560-C-3250 PER STANDARD SPECIFICATIONS FOR PUBLIC WORKS CONSTRUCTION (GREENBOOK). ALL WORK SHALL BE PERFORMED IN ACCORDANCE WITH THE CALTRANS STANDARD PLANS AND SPECIFICATIONS, LATEST EDITION, AND SUPPLEMENTS THERETO AND TO THE SATISFACTION OF THE ENGINEER.
2. THIS STANDARD SHALL APPLY TO STREET CLASSIFICATIONS OF INDUSTRIAL COLLECTOR AND ABOVE.
3. ALL EXCAVATION AND SHORING SHALL BE PERFORMED IN ACCORDANCE WITH ARTICLE 6 OF THE STATE OF CALIFORNIA OSHA. TRENCHES EXCEEDING MORE THAN 5 FEET BELOW GRADE OR WHERE UNSTABLE SOIL IS PRESENT SHALL BE PROPERLY SHORED.



DATE REVISED
10/06/2021

**CITY OF MANHATTAN BEACH
DEPARTMENT OF PUBLIC WORKS**

ARTERIAL HIGHWAY LIGHTING

APPROVED BY
[Signature]
PREM KUMAR, P.E., CITY ENGINEER

11/02/2021
DATE

STANDARD PLAN NUMBER
MBLT-400B-0
SHEET 1 OF 1